



ExMC/234/RV
March 2005

**INTERNATIONAL ELECTROTECHNICAL COMMISSION SCHEME
FOR CERTIFICATION TO STANDARDS RELATING TO EQUIPMENT FOR
USE IN EXPLOSIVE ATMOSPHERES
(IECEX SCHEME)**

**Title: Summary of voting results on the acceptance of KEMA Quality BV as an
Ex Testing Laboratory within the IECEx Scheme**

To: Members of the IECEx Management Committee, ExMC and ExTAG

INTRODUCTION

**This document contains the Voting Results for the Acceptance of KEMA Quality BV as
an Ex Testing Laboratory within the IECEx Scheme**

**Chris Agius
Secretary IECEx**

Address:

**Level 10
286 Sussex Street
Sydney NSW 2000
Australia**

Contact Details:

**Tel: +61 2 8206 6940
Fax: +61 2 8206 6272
e-mail: chris.agius@iecex.com
<http://www.iecex.com>**



ExMC/234/RV
March 2005

Summary of voting results on the acceptance of KEMA Quality BV as an Ex Testing Laboratory within the IECEx Scheme

Circulation Date: 2005 01

Reminder notice sent: 200503 02 + 2005 03 11

Closing Date: 050310

Voting response from ExMC Members		
<u>Member</u>	<u>Response</u>	<u>Comments</u>
(AU) Australia	Yes	
(CA) Canada	Yes	
(CH) Switzerland	NR	
(CN) China	Yes	
(CZ) Czech Republic	Yes	
(DE) Germany	Yes	
(DK) Denmark	Yes	
(FI) Finland	Yes	
(FR) France	Yes	
(GB) United Kingdom	Yes	
(HU) Hungary	Yes	
(IT) Italy	Yes	
(KR) Korea	Yes	
(NL) Netherlands	Yes	
(NO) Norway	Yes	
(NZ) New Zealand	Yes	
(RO) Romania	Yes	
(RU) Russia	Yes	
(SE) Sweden	Yes	
(SG) Singapore	Yes	
(SI) Slovenia	NR	
(US) United States	Yes	
(YU) Serbia and Montenegro	NR	
(ZA) South Africa	Yes	

Members Voting: 24	Members in favour: 21 Members against: 0
Final Decision: Approved Status on: 2005 03 14	

Vote: Do the members of the IECEx Scheme agree to the acceptance of KEMA Quality BV as an Ex Testing Laboratory?

Y = In favour N = Against NR = Not returned