

2000 05 26

Our Reference 0005 C20

**INTERNATIONAL ELECTROTECHNICAL COMMISSION**

**IEC SCHEME FOR CERTIFICATION TO STANDARDS FOR SAFETY OF  
ELECTRICAL EQUIPMENT FOR EXPLOSIVE ATMOSPHERES (IECEX  
Scheme)**

**Ex Management Committee (ExMC)**

<b>ExMC/ 55 / RV</b>	<b>Voting results for acceptance of Korea Occupational Safety and Health Agency (KOSHA) as an Ex Test Laboratory.</b>
----------------------	---

Yours faithfully



**Secretary ExMC**

<b><u>Postal Address:</u></b> IECEX Secretariat: C/- QAS Locked Bag No. 2032 Strathfield 2135 AUSTRALIA	<b><u>Visiting Address:</u></b> 1 The Crescent Homebush NSW 2140 AUSTRALIA	<b><u>Contact Details</u></b> Tel: +61 2 9746 4900 Fax: +61 2 9746 8460 E-Mail: chris.agius@qas.com.au:
--	---	---

2000 05 26

## TL Summary of Voting

### Results on IECEX Assessment Report for Korea Occupational Safety and Health Agency (KOSHA) as an Ex Test Laboratory

Circulation Date: 2000 02 28

Closing Date: 2000 03 28

Closing date for reminders: 2000 05 26

Voting response from ExMC Members		
Member	Response	Comments
Australia (AU)	Y	
Canada (CA)	Y	
China (CN)	Y	
Denmark (DK)	Y	
France (FR)	Y	
Germany (DE)	Y	
Hungary (HU)	Y	
Italy (IT)	y	
Korea (KR)	Y	
Netherlands (NL)	Y	
Norway (NO)	Y	
Romania (RO)	Y	
Russia (RU)	Y	
Slovenia (SI)	Y	
South Africa (ZA)	Y	
Sweden (SE)	Y	
Switzerland (CH)	Y	
United Kingdom (GB)	NR	
Yugoslavia (YU)	Y	

Members Voting : 19	Members in favour: 18 Members against: 0
Final Decision: Approved Status on 2000 05 26	

**Notes:** None

**Vote:** Do the members of the ExMC agree with the acceptance of Korea Occupational Safety and Health Agency (KOSHA) as an Ex Test Laboratory in the IECEX Scheme?

Y = In favour    N = Against    NR = Not returned